

Backport21 - Backport #10448

Backport r48186 (Kernel#load with non-ASCII path cause LoadError)

10/29/2014 01:50 PM - nagachika (Tomoyuki Chikanaga)

Status:	Closed	
Priority:	Normal	
Assignee:	nagachika (Tomoyuki Chikanaga)	
Description		
[ruby-list:49994] Kernel#load encoding. [ruby-list:49994]		

Associated revisions

Revision 8715551b - 01/21/2015 03:38 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r48186: [Backport #10448]

```
* load.c (rb_f_load): path name needs to be transcoded to OS path
encoding. [ruby-list:49994]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_1@49366 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 49366 - 01/21/2015 03:38 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r48186: [Backport #10448]

```
* load.c (rb_f_load): path name needs to be transcoded to OS path
encoding. [ruby-list:49994]
```

History

#1 - 01/21/2015 03:39 PM - nagachika (Tomoyuki Chikanaga)

- Status changed from Assigned to Closed

- % Done changed from 0 to 100

Applied in changeset [r49366](#).

merge revision(s) r48186: [Backport [#10448](#)]

```
* load.c (rb_f_load): path name needs to be transcoded to OS path
encoding. [ruby-list:49994]
```