

Ruby 1.8 - Bug #1052

When using File.open with seek and readpartial, pos isn't updated.

01/26/2009 06:17 PM - MenThal (Kent Dahl)

Status: Closed	
Priority: Normal	
Assignee:	
Target version:	
ruby -v:	
Description	
=begin When using File.open in ruby 1.8.7 with seek and readpartial, pos doesn't work. If I seek and use readpartial on a file opened for reading, pos is not updated properly. Sample code: File.open(filename){ f f.seek 0 # Comment out this, and it works. f.readpartial(10) p f.pos # Expect 10, not 0. } Output: ruby1.8 file_seek_pos_issue.rb => 0 ruby1.9 file_seek_pos_issue.rb => 10 System: <ul style="list-style-type: none">• ruby 1.8.7 (2008-08-11 patchlevel 72) [i486-linux]• ruby 1.9.0 (2008-06-20 revision 17482) [i486-linux]• Ubuntu 8.10 (Linux wintermute 2.6.27-7-generic #1 SMP Tue Nov 4 19:33:20 UTC 2008 i686 GNU/Linux) =end	

History

#1 - 01/31/2009 04:17 PM - akr (Akira Tanaka)

- Status changed from Open to Closed

- % Done changed from 0 to 100

=begin
Applied in changeset [r21913](#).
=end

Files

file_seek_pos_issue.rb	555 Bytes	01/26/2009	MenThal (Kent Dahl)
------------------------	-----------	------------	---------------------