

## Ruby master - Bug #12489

### hppa problems on Debian GNU/Linux

06/14/2016 10:17 PM - normalperson (Eric Wong)

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Target version:</b>	
<b>ruby -v:</b>	<b>Backport:</b> 2.1: UNKNOWN, 2.2: UNKNOWN, 2.3: REQUIRED

#### Description

It looks like there's problems with hppa under Debian GNU/Linux.

Initially reported as a kgio RubyGem bug, but "test-all" fails pretty badly under Ruby 2.3.1:

<https://bugs.debian.org/827220>

<http://dellerweb.de/debug-logs/ruby2.3-make-test-all.log>

Just forwarding this along, I'm not at all familiar with this architecture myself and barely have time for ruby-core as it is.

#### History

##### #1 - 08/10/2016 03:08 AM - shyouhei (Shyouhei Urabe)

We looked at this issue at yesterday's developer meeting. Developers could not locate the bug at sight because test-all log lacks C-level backtrace (was this due to hppa's architecture or just a stripped binary?).

Ruby definitely needs a hppa port mentor for further investigation. Does anyone stand?

##### #2 - 07/25/2019 04:55 PM - jeremyevans0 (Jeremy Evans)

- Status changed from Open to Closed