

## Ruby master - Bug #1576

### TestFile failures in windows

06/06/2009 03:47 AM - rogerdpack (Roger Pack)

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> nobu (Nobuyoshi Nakada)	
<b>Target version:</b> 1.9.2	
<b>ruby -v:</b> ruby 1.9.3dev (2010-05-12 trunk 27746) [i386-mswin32]	<b>Backport:</b>
<b>Description</b> =begin Here ya go:  18) Failure: test_gets_para_extended_file(TestFile) [c:/dev/downloads/ruby_trunk/test/ruby/test_file.rb:94]: mode = <>. <"a"> expected but was <"\na">.  19) Failure: test_expand_path(TestFileExhaustive) [c:/dev/downloads/ruby_trunk/test/ruby/test_file_exhaustive.rb:389]: ArgumentError expected but nothing was raised.  20) Failure: test_stat(TestFileExhaustive) [c:/dev/downloads/ruby_trunk/test/ruby/test_file_exhaustive.rb:80]: expected but was .  21) Failure: test_stat_init(TestFileExhaustive) [c:/dev/downloads/ruby_trunk/test/ruby/test_file_exhaustive.rb:558]: expected but was .  22) Failure: test_utime(TestFileExhaustive) [c:/dev/downloads/ruby_trunk/test/ruby/test_file_exhaustive.rb:338]: expected but was .  Not so sure about that last one. Thanks! -=:r =end	

#### Associated revisions

**Revision 6f3791f46551729339d1bec3743959d5618ef753 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)**

[Bug #1576]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@27769 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

**Revision 6f3791f4 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)**

[Bug #1576]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@27769 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 27769 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)

[Bug #1576]

Revision 27769 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)

[Bug #1576]

Revision 27769 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)

[Bug #1576]

Revision 27769 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)

[Bug #1576]

Revision 27769 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)

[Bug #1576]

Revision 27769 - 05/13/2010 03:56 AM - usa (Usaku NAKAMURA)

[Bug #1576]

Revision fab261586ad20208a8ff7461f5b642845ffa3c32 - 05/13/2010 04:05 AM - usa (Usaku NAKAMURA)

merge from trunk (r27768-r27770)

- io.c (swallow): support text mode and UTF-16/32 as internal encoding.  
[Bug #1576]
- io.c (io\_shift\_cbuf): read and throw it away when str is NULL.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_1\_9\_2@27771 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision fab26158 - 05/13/2010 04:05 AM - usa (Usaku NAKAMURA)

merge from trunk (r27768-r27770)

- io.c (swallow): support text mode and UTF-16/32 as internal encoding.  
[Bug #1576]
- io.c (io\_shift\_cbuf): read and throw it away when str is NULL.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby\_1\_9\_2@27771 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

## History

---

**#1 - 07/16/2009 04:25 PM - yugui (Yuki Sonoda)**

- Assignee set to nobu (Nobuyoshi Nakada)

=begin

=end

**#2 - 05/12/2010 04:26 PM - usa (Usaku NAKAMURA)**

- Category set to core

- Status changed from Open to Assigned

- Target version set to 1.9.2

- ruby -v changed from TRUNK mingw to ruby 1.9.3dev (2010-05-12 trunk 27746) [i386-mswin32]

=begin

19) - 21) is already fixed (or changed the test)  
cannot reproduce 22). maybe fixed.

18) is the problem of paragraph mode of IO#gets.  
if the newline code is not equals as 0x0A, paragraph mode doesn't run well.  
I think to change the function swallow() in io.c.

=end

**#3 - 05/13/2010 12:10 AM - rogerdpack (Roger Pack)**

=begin

yeah the only TestFile failures I currently get is:

34) Failure:test\_gets\_para\_extended\_file(TestFile) [C:/dev/ruby/downloads/ruby\_trunk\_no\_patches/test/ruby/test\_file.rb:94]:mode = <>.<"a"> expected but was<"na">.

(from <http://gist.github.com/396251>)

Thanks for looking into that!

-rp

=end

**#4 - 05/13/2010 12:57 PM - usa (Usaku NAKAMURA)**

- *Status changed from Assigned to Closed*

- *% Done changed from 0 to 100*

=begin

This issue was solved with changeset r27769.

Roger, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

=end