

Ruby master - Feature #17134

Add resolv_timeout to TCPSocket

08/29/2020 05:26 AM - Glass_saga (Masaki Matsushita)

Status:	Closed	
Priority:	Normal	
Assignee:		
Target version:	3.0	
Description Add resolve_timeout to TCPSocket.new. It makes DNS timeout customizable in the same way as Socket.tcp. https://github.com/ruby/ruby/pull/3472		
Related issues:		
Related to Ruby master - Feature #16381: Accept resolv_timeout in Net::HTTP		Open
Related to Ruby master - Feature #17187: Add connect_timeout to TCPSocket		Assigned

Associated revisions

Revision 511fe23f - 09/25/2020 06:19 AM - Glass_saga (Masaki Matsushita)

Add resolve_timeout to TCPSocket [Feature #17134]

History

#1 - 08/29/2020 05:27 AM - Glass_saga (Masaki Matsushita)

- Related to Feature #16381: Accept resolv_timeout in Net::HTTP added

#2 - 08/29/2020 05:34 AM - Glass_saga (Masaki Matsushita)

- Subject changed from Add resolve_timeout to TCPSocket to Add resolv_timeout to TCPSocket

#3 - 09/23/2020 05:15 AM - ko1 (Koichi Sasada)

Could you describe API changes more?

#4 - 09/23/2020 03:37 PM - Glass_saga (Masaki Matsushita)

- Target version changed from 36 to 3.0

It receives resolv_timeout as a keyword argument to specify name resolution timeout.

Example:

```
# it raises SocketError if name resolution is not finished within resolve_timeout.  
tcp_socket = TCPSocket.new("example.com", 80, resolv_timeout: 10)
```

#5 - 09/25/2020 06:19 AM - Glass_saga (Masaki Matsushita)

- Status changed from Open to Closed

Applied in changeset [git|511fe23fa2bdf1f17faa91e0558be47b5bb62b2a](https://github.com/ruby/ruby/commit/511fe23fa2bdf1f17faa91e0558be47b5bb62b2a).

Add resolve_timeout to TCPSocket [Feature [#17134](#)]

#6 - 09/25/2020 11:21 AM - Glass_saga (Masaki Matsushita)

- Related to Feature #17187: Add connect_timeout to TCPSocket added

Files

resolv_timeout.patch	6.07 KB	08/29/2020	Glass_saga (Masaki Matsushita)
----------------------	---------	------------	--------------------------------