

- File array_sample_with_replace_hash.patch added

replace Array#sample patch
Array#sample patch
Array#sample patch

#3 - 08/03/2010 06:25 PM - mrkn (Kenta Murata)

- File array_sample_shuffle.patch added

IRC random patch
<http://www.atdot.net/sp/raw/0d6k6l>

Array#sample
Array#shuffle Array#shuffle!
Array#shuffle Array#shuffle!
Array#shuffle Array#shuffle!
Array#shuffle Array#shuffle!
Array#shuffle Array#shuffle!
Array#shuffle Array#shuffle!
Array#shuffle Array#shuffle!

#4 - 08/03/2010 08:27 PM - mrkn (Kenta Murata)

Array#sample patch
Array#sample feature request
feature request
feature request patch #2

#5 - 12/10/2010 11:40 PM - tarui (Masaya Tarui)

Array#sample
replace Array#sample patch
Array#sample patch
Array#sample patch

Array#sample
Array#sample
Array#sample

#6 - 12/11/2010 08:56 AM - matz (Yukihiro Matsumoto)

Array#sample

In message "Re: [ruby-dev:42743] [Ruby 1.9-Feature#3647] Array#sample(n, replace=false)" on Fri, 10 Dec 2010 23:40:21 +0900, Masaya Tarui redmine@ruby-lang.org writes:

Array#sample
Array#sample

Array#sample

replace Array#sample patch
Array#sample patch
Array#sample patch

Array#sample
Array#sample
Array#sample

Array#sample
Array#sample

#7 - 12/11/2010 11:05 PM - tarui (Masaya Tarui)

Array#sample

2010-12-11 8:55 Yukihiro Matsumoto matz@ruby-lang.org:

0000 000000

In message "Re: [ruby-dev:42743] [Ruby 1.9-Feature#3647] Array#sample(n, replace=false)" on Fri, 10 Dec 2010 23:40:21 +0900, Masaya Tarui redmine@ruby-lang.org writes:

```
Array#sample000000000000000000000000
00000000000000000000000000
```

0000000000000000

```
00000000000000000000000000000000
00000000000000000000000000000000
```

```
replace 00000000000000000000000000000000 patch 0000000000
00000000Array#sample 000000000000000000000000000000000000
00000000000000000000000000000000
```

000

0000000000(0000?)000000000000000000000000000000000000
000000000000000000000000

```
000000000000000000000000000000000000
000000000000000000000000000000000000
```

```
00000000000000000000000000000000000000
000000000000000000000000000000000000
```

```
[1,2,3,4].sample #=>1000000000000000
[1,2,3,4].sample(3) #=>000000
```

0000000000000000

```
[1,2,3,4].sample(3,true) #=>000000
[1,2,3,4].sample(3,false) #=>000000
```

0000000000

0000000000000000

--
00000(Masaya TARUI)
No Tool,No Life.

#8 - 12/11/2010 11:38 PM - matz (Yukihiro Matsumoto)

0000 000000

In message "Re: [ruby-dev:42751] Re: [Ruby 1.9-Feature#3647] Array#sample(n, replace=false)" on Sat, 11 Dec 2010 23:04:11 +0900, Masaya TARUI tarui@prx.jp writes:

```
000000000000000000000000000000000000
000000000000000000000000000000000000
```

00000000000000000000000000000000

```
000000000000000000000000000000000000
000000000000000000000000000000000000
```

```
[1,2,3,4].sample #=>1000000000000000
[1,2,3,4].sample(3) #=>000000
```

0000000000000000

```
[1,2,3,4].sample(3,true) #=>000000
[1,2,3,4].sample(3,false) #=>000000
```

0000000000

```
true instance_methods
true
```

#9 - 12/19/2010 11:22 PM - mame (Yusuke Endoh)

2010121123:38 Yukihiko Matsumoto matz@ruby-lang.org:

In message "Re: [ruby-dev:42751] Re: [Ruby 1.9-Feature#3647] Array#sample(n, replace=false)" ? on Sat, 11 Dec 2010 23:04:11 +0900, Masaya TARUI tarui@prx.jp writes:

```
(1..n).map { ary.sample }
```

```
ary.sample(replace: true)
```

```
Array#sample ary[rand(ary.size)]
```

```
[1,2,3,4].sample #=> 10
[1,2,3,4].sample(3) #=>
```

```
[1,2,3,4].sample(3,true) #=>
[1,2,3,4].sample(3,false) #=>
```

```
true instance_methods
true
```

```
sample(replace: true)
"replace"
(replace)
```

```
ary = [1, 2, 3]
p ary.sample(replace: true) #=> 1
p ary #=> [2, 3]
```

```
replace replace
#
```

```
duplication: true ruby-core
replacement
```

--

Yusuke Endoh mame@tsg.ne.jp

#10 - 12/20/2010 11:09 PM - akr (Akira Tanaka)

2010年12月19日 23:22 Yusuke ENDOH mame@tsg.ne.jp:

```
sample(replace: true) のオプションは
"replace" オプションを指定する
(オプション) のオプション
```

```
ary = [1, 2, 3]
p ary.sample(replace: true) #=> 1
p ary #=> [2, 3]
```

```
replace オプションは
# オプション
```

```
duplication: true オプションは ruby-core の
replacement オプション
```

```
unique オプション
unique: true
unique: false オプション
```

(uniq オプション)

--

[Tanaka Akira]

#11 - 03/31/2012 10:17 AM - mame (Yusuke Endoh)

- Description updated
- Status changed from Open to Feedback
- Assignee set to mrkn (Kenta Murata)

mrkn

matz

--

Yusuke Endoh mame@tsg.ne.jp

#12 - 10/25/2012 06:03 PM - yhara (Yutaka HARA)

- Target version changed from 2.0.0 to 2.6

#13 - 12/25/2017 06:14 PM - naruse (Yui NARUSE)

- Target version deleted (2.6)

#14 - 03/10/2020 04:58 AM - nobu (Nobuyoshi Nakada)

- Description updated

<https://github.com/ruby/ruby/pull/2955>

The option name is replace for now.

#15 - 03/10/2020 10:18 AM - sawa (Tsuyoshi Sawada)

Array#repeated_combination, Array#repeated_permutation オプションは Array#repeated_sample
Array#replaced_sample オプション

#16 - 03/11/2020 02:09 AM - nobu (Nobuyoshi Nakada)

<https://github.com/ruby/ruby/pull/2956>

Files

array_sample_with_replace.patch	3.64 KB	08/03/2010	mrkn (Kenta Murata)
array_sample_with_replace_hash.patch	4.35 KB	08/03/2010	mrkn (Kenta Murata)
array_sample_shuffle.patch	9.62 KB	08/03/2010	mrkn (Kenta Murata)