

Ruby master - Bug #4880

documentation updates: Curses is 100% (for real this time)

06/14/2011 05:35 AM - vbatts (Vincent Batts)

Status:	Closed	
Priority:	Normal	
Assignee:	drbrain (Eric Hodel)	
Target version:	1.9.3	
ruby -v:	ruby 1.9.3dev (2011-06-14 trunk 32073) [x86_64-linux]	Backport:

Description

Thanks to drbrain for picking up the rdoc bug to document the constants defined using `rb_curses_define_const()`

Now the following have been documented.

module Curses

```
# in file curses.c
A_ATTRIBUTES = nil
# in file curses.c
A_NORMAL = nil
# in file curses.c
A_STANDOUT = nil
# in file curses.c
A_UNDERLINE = nil
# in file curses.c
A_REVERSE = nil
# in file curses.c
A_BLINK = nil
# in file curses.c
A_DIM = nil
# in file curses.c
A_BOLD = nil
# in file curses.c
A_PROTECT = nil
# in file curses.c
A_INVIS = nil
# in file curses.c
A_ALTCHARSET = nil
# in file curses.c
A_CHARTEXT = nil
# in file curses.c
A_HORIZONTAL = nil
# in file curses.c
A_LEFT = nil
# in file curses.c
A_LOW = nil
# in file curses.c
A_RIGHT = nil
# in file curses.c
A_TOP = nil
# in file curses.c
A_VERTICAL = nil
# in file curses.c
A_COLOR = nil
# in file curses.c
BUTTON1_PRESSED = nil
# in file curses.c
BUTTON1_RELEASED = nil
# in file curses.c
BUTTON1_CLICKED = nil
# in file curses.c
```

```
BUTTON1_DOUBLE_CLICKED = nil
# in file curses.c
BUTTON1_TRIPLE_CLICKED = nil
# in file curses.c
BUTTON2_PRESSED = nil
# in file curses.c
BUTTON2_RELEASED = nil
# in file curses.c
BUTTON2_CLICKED = nil
# in file curses.c
BUTTON2_DOUBLE_CLICKED = nil
# in file curses.c
BUTTON2_TRIPLE_CLICKED = nil
# in file curses.c
BUTTON3_PRESSED = nil
# in file curses.c
BUTTON3_RELEASED = nil
# in file curses.c
BUTTON3_CLICKED = nil
# in file curses.c
BUTTON3_DOUBLE_CLICKED = nil
# in file curses.c
BUTTON3_TRIPLE_CLICKED = nil
# in file curses.c
BUTTON4_PRESSED = nil
# in file curses.c
BUTTON4_RELEASED = nil
# in file curses.c
BUTTON4_CLICKED = nil
# in file curses.c
BUTTON4_DOUBLE_CLICKED = nil
# in file curses.c
BUTTON4_TRIPLE_CLICKED = nil
# in file curses.c
BUTTON_SHIFT = nil
# in file curses.c
BUTTON_CTRL = nil
# in file curses.c
BUTTON_ALT = nil
# in file curses.c
ALL_MOUSE_EVENTS = nil
# in file curses.c
REPORT_MOUSE_POSITION = nil
# in file curses.c
KEY_MOUSE = nil
# in file curses.c
KEY_MIN = nil
# in file curses.c
KEY_BREAK = nil
# in file curses.c
KEY_DOWN = nil
# in file curses.c
KEY_UP = nil
# in file curses.c
KEY_LEFT = nil
# in file curses.c
KEY_RIGHT = nil
# in file curses.c
KEY_HOME = nil
# in file curses.c
KEY_BACKSPACE = nil
# in file curses.c
KEY_DL = nil
# in file curses.c
KEY_IL = nil
# in file curses.c
KEY_DC = nil
```

```
# in file curses.c
KEY_IC = nil
# in file curses.c
KEY_EIC = nil
# in file curses.c
KEY_CLEAR = nil
# in file curses.c
KEY_EOS = nil
# in file curses.c
KEY_EOL = nil
# in file curses.c
KEY_SF = nil
# in file curses.c
KEY_SR = nil
# in file curses.c
KEY_NPAGE = nil
# in file curses.c
KEY_PPAGE = nil
# in file curses.c
KEY_STAB = nil
# in file curses.c
KEY_CTAB = nil
# in file curses.c
KEY_CATAB = nil
# in file curses.c
KEY_ENTER = nil
# in file curses.c
KEY_SRESET = nil
# in file curses.c
KEY_RESET = nil
# in file curses.c
KEY_PRINT = nil
# in file curses.c
KEY_LL = nil
# in file curses.c
KEY_A1 = nil
# in file curses.c
KEY_A3 = nil
# in file curses.c
KEY_B2 = nil
# in file curses.c
KEY_C1 = nil
# in file curses.c
KEY_C3 = nil
# in file curses.c
KEY_BTAB = nil
# in file curses.c
KEY_BEG = nil
# in file curses.c
KEY_CANCEL = nil
# in file curses.c
KEY_CLOSE = nil
# in file curses.c
KEY_COMMAND = nil
# in file curses.c
KEY_COPY = nil
# in file curses.c
KEY_CREATE = nil
# in file curses.c
KEY_END = nil
# in file curses.c
KEY_EXIT = nil
# in file curses.c
KEY_FIND = nil
# in file curses.c
KEY_HELP = nil
# in file curses.c
```

KEY_MARK = nil
in file curses.c
KEY_MESSAGE = nil
in file curses.c
KEY_MOVE = nil
in file curses.c
KEY_NEXT = nil
in file curses.c
KEY_OPEN = nil
in file curses.c
KEY_OPTIONS = nil
in file curses.c
KEY_PREVIOUS = nil
in file curses.c
KEY_REDO = nil
in file curses.c
KEY_REFERENCE = nil
in file curses.c
KEY_REFRESH = nil
in file curses.c
KEY_REPLACE = nil
in file curses.c
KEY_RESTART = nil
in file curses.c
KEY_RESUME = nil
in file curses.c
KEY_SAVE = nil
in file curses.c
KEY_SBEG = nil
in file curses.c
KEY_SCANCEL = nil
in file curses.c
KEY_SCOMMAND = nil
in file curses.c
KEY_SCOPY = nil
in file curses.c
KEY_SCREATE = nil
in file curses.c
KEY_SDC = nil
in file curses.c
KEY_SDL = nil
in file curses.c
KEY_SELECT = nil
in file curses.c
KEY_SEND = nil
in file curses.c
KEY_SEOL = nil
in file curses.c
KEY_SEXIT = nil
in file curses.c
KEY_SFIND = nil
in file curses.c
KEY_SHELP = nil
in file curses.c
KEY_SHOME = nil
in file curses.c
KEY_SIC = nil
in file curses.c
KEY_SLEFT = nil
in file curses.c
KEY_SMESSAGE = nil
in file curses.c
KEY_SMOVE = nil
in file curses.c
KEY_SNEXT = nil
in file curses.c
KEY_SOPTIONS = nil

```
# in file curses.c
KEY_SPREVIOUS = nil
# in file curses.c
KEY_SPRINT = nil
# in file curses.c
KEY_SREDO = nil
# in file curses.c
KEY_SREPLACE = nil
# in file curses.c
KEY_SRIGHT = nil
# in file curses.c
KEY_SRSUME = nil
# in file curses.c
KEY_SSAVE = nil
# in file curses.c
KEY_SSUSPEND = nil
# in file curses.c
KEY_SUNDO = nil
# in file curses.c
KEY_SUSPEND = nil
# in file curses.c
KEY_UNDO = nil
# in file curses.c
KEY_RESIZE = nil
# in file curses.c
KEY_MAX = nil
end
```

Associated revisions

Revision 630ba53d - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@32144 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 32144 - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

Revision 32144 - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

Revision 32144 - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

Revision 32144 - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

Revision 32144 - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

Revision 32144 - 06/17/2011 12:25 AM - drbrain (Eric Hodel)

- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug #4880]

History

#1 - 06/14/2011 05:42 AM - vbatts (Vincent Batts)

- File *ruby_doc_updates-20110613_update-curses_vbatts.patch* added

Err. adding an updated patch, that removes the TODO regarding the constants

#2 - 06/17/2011 09:18 AM - drbrain (Eric Hodel)

- File deleted (*ruby_doc_updates-20110613-curses_vbatts.patch*)

#3 - 06/17/2011 09:25 AM - drbrain (Eric Hodel)

- Status changed from *Open* to *Closed*

- % Done changed from *0* to *100*

This issue was solved with changeset r32144.
Vincent, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

-
- ext/curses/curses.c: Document curses constants. Patch by Vincent Batts. [Ruby 1.9 - Bug [#4880](#)]

Files

ruby_doc_updates-20110613_update-curses_vbatts.patch	34 KB	06/14/2011	vbatts (Vincent Batts)
--	-------	------------	------------------------