

Ruby trunk - Feature #6118

Hash#keys_of(values), returns related keys of given values

03/06/2012 05:55 PM - naruse (Yui NARUSE)

Status:	Feedback
Priority:	Normal
Assignee:	matz (Yukihiko Matsumoto)
Target version:	
Description	
Hash#key(value) の実装	
<pre>{a: 1, b: 2, c: 3, d: 1}.key(1) => :a Hash#key(value) の実装 {a: 1, b: 2, c: 3, d: 1}.keys_of(1) => [:a, :d] Hash#keys_of(values) の実装</pre>	
Ruby の実装	
<pre>class Hash def keys_of(*a) each_with_object([]) { (k, v), r r << k if a.include? v} end end</pre>	

History

#1 - 03/27/2012 01:38 AM - ssuda (Sambasiva Suda)

- File 000_ruby_hash_keys_of.patch added

Here is the implementation for Hash#keys_of

#2 - 03/27/2012 01:44 AM - ssuda (Sambasiva Suda)

- File 000_ruby_hash_keys_of.patch added

Here is the updated patch

#3 - 03/30/2012 01:54 AM - mame (Yusuke Endoh)

- Status changed from Open to Assigned

- Assignee set to matz (Yukihiko Matsumoto)

#4 - 11/20/2012 10:18 PM - mame (Yusuke Endoh)

- Target version set to 2.6

#5 - 12/25/2017 06:15 PM - naruse (Yui NARUSE)

- Target version deleted (2.6)

#6 - 01/10/2019 08:16 AM - naruse (Yui NARUSE)

- Status changed from Assigned to Feedback

I forgot use case.

use case is welcome

Files

000_ruby_hash_keys_of.patch	2.36 KB	03/27/2012	ssuda (Sambasiva Suda)
-----------------------------	---------	------------	------------------------

