

- marshal.c: add marshal readahead. marshaled Array, Hash and Struct have size at least number of its elements, marshal readahead will read the certain readable length and buffer when it needs more bytes. marshal readahead prevents many calls to IO#getbyte and IO#read, then it enables performance improvement. [ruby-dev:45637] [Feature #6440]

Revision 37772 - 11/20/2012 03:17 PM - glass

- marshal.c: add marshal readahead. marshaled Array, Hash and Struct have size at least number of its elements, marshal readahead will read the certain readable length and buffer when it needs more bytes. marshal readahead prevents many calls to IO#getbyte and IO#read, then it enables performance improvement. [ruby-dev:45637] [Feature #6440]

Revision 37772 - 11/20/2012 03:17 PM - glass

- marshal.c: add marshal readahead. marshaled Array, Hash and Struct have size at least number of its elements, marshal readahead will read the certain readable length and buffer when it needs more bytes. marshal readahead prevents many calls to IO#getbyte and IO#read, then it enables performance improvement. [ruby-dev:45637] [Feature #6440]

Revision 37772 - 11/20/2012 03:17 PM - glass

- marshal.c: add marshal readahead. marshaled Array, Hash and Struct have size at least number of its elements, marshal readahead will read the certain readable length and buffer when it needs more bytes. marshal readahead prevents many calls to IO#getbyte and IO#read, then it enables performance improvement. [ruby-dev:45637] [Feature #6440]

Revision 37772 - 11/20/2012 03:17 PM - glass

- marshal.c: add marshal readahead. marshaled Array, Hash and Struct have size at least number of its elements, marshal readahead will read the certain readable length and buffer when it needs more bytes. marshal readahead prevents many calls to IO#getbyte and IO#read, then it enables performance improvement. [ruby-dev:45637] [Feature #6440]

History

#1 - 05/17/2012 12:57 AM - mame (Yusuke Endoh)

- Status changed from Open to Assigned
- Assignee set to nobu (Nobuyoshi Nakada)

XXXXXXXXXXXX

--
Yusuke Endoh mame@tsq.ne.jp

#2 - 05/17/2012 01:22 PM - nobu (Nobuyoshi Nakada)

```
=begin
XXXXXXXXXXXXXXXXXXXXXXXXXXXX
• (({struct load_arg.buf}))XXXXXXXXXX
• (({r_bytes1_partial}))&((readpartial))XXXXXXXXXX((read))XXXXXXXXXX((tmp_ptr))XXXX
```

XXXXXXXXXXXX

- (({arg->partial}))XXXXXXXXXXXXsymbolXXXXXXXXXXXX
- (({r_bytes}))&((r_bytes0()))XXXXXXXXXXXXXXXXXXXXXXXXXXXX
- XXXX((if))XXXXXXXXXXXX=end

#3 - 05/17/2012 01:27 PM - nobu (Nobuyoshi Nakada)

- Description updated

```
=begin
XXXXXX({s_getbyte})XXXXXXXXXXXX
=end
```

#4 - 05/18/2012 01:39 AM - Glass_saga (Masaki Matsushita)

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

```
XXXMarshalXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
ungetcXXXXXXXXXXXXseekXXXXXXXXXXXXIOXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXIO#seekXXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXXIOXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
```


#8 - 11/16/2012 03:49 PM - Glass_saga (Masaki Matsushita)

patch2.diff
patch2.diff

#9 - 11/21/2012 12:17 AM - Anonymous

- Status changed from Assigned to Closed
- % Done changed from 0 to 100

This issue was solved with changeset r37772.
Masaki, thank you for reporting this issue.
Your contribution to Ruby is greatly appreciated.
May Ruby be with you.

-
- marshal.c: add marshal readahead. marshaled Array, Hash and Struct have size at least number of its elements, marshal readahead will read the certain readable length and buffer when it needs more bytes. marshal readahead prevents many calls to IO#getbyte and IO#read, then it enables performance improvement. [ruby-dev:45637] [Feature [#6440](#)]

Files

patch.diff	4.61 KB	05/16/2012	Glass_saga (Masaki Matsushita)
patch2.diff	6.15 KB	06/11/2012	Glass_saga (Masaki Matsushita)