

Ruby trunk - Bug #7367

toooo many test failures after rake 0.9.4 is imported

11/16/2012 10:10 AM - usa (Usaku NAKAMURA)

Status:	Closed	
Priority:	Normal	
Assignee:	drbrain (Eric Hodel)	
Target version:	2.0.0	
ruby -v:	ruby -v: ruby 2.0.0dev (2012-11-16 trunk 37668) [x64-mswin64_100]	Backport:

Description

=begin

Yesterday, all my troubles seemed so far away.

Now it looks as though they're here to stay...

cf. Yesterday The Beatles

eban-san told me that these are not platform dependent.

[388/1240] TestRakeBacktrace#test_suppress_option = 0.34 s

1) Failure:

test_suppress_option(TestRakeBacktrace) [C:/Users/usa/ruby/test/rake/test_rake_backtrace.rb:58]:

--- expected

+++ actual

@@ -1 +1 @@

-"rake aborted!"

+"C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)"

[389/1240] TestRakeBacktrace#test_single_collapse = 0.17 s

2) Failure:

test_single_collapse(TestRakeBacktrace) [C:/Users/usa/ruby/test/rake/test_rake_backtrace.rb:25]:

--- expected

+++ actual

@@ -1 +1 @@

-"rake aborted!"

+"C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)"

[390/1240] TestRakeBacktrace#test_multi_collapse = 0.17 s

3) Failure:

test_multi_collapse(TestRakeBacktrace) [C:/Users/usa/ruby/test/rake/test_rake_backtrace.rb:43]:

--- expected

+++ actual

@@ -1 +1 @@

-"rake aborted!"

+"C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)"

[395/1240] TestRakeFileTask#test_file_times_new_depend_on_regular_task

4) Error:

test_file_times_new_depend_on_regular_task_timestamps(TestRakeFileTask):

LoadError: cannot load such file -- C:/Users/usa/develop/win/ruby/build/lib/rake/phony.rb

C:/Users/usa/ruby/test/rake/test_rake_file_task.rb:119:in load'

C:/Users/usa/ruby/test/rake/test_rake_file_task.rb:119:inload_phony'

C:/Users/usa/ruby/test/rake/test_rake_file_task.rb:45:in

`test_file_times_new_depend_on_regular_task_timestamps'

[397/1240] TestRakeRakeTestLoader#test_pattern = 0.02 s

5) Error:

test_pattern(TestRakeRakeTestLoader):

LoadError: cannot load such file -- C:/Users/usa/develop/win/ruby/build/lib/rake/rake_test_loader.rb

C:/Users/usa/ruby/test/rake/test_rake_rake_test_loader.rb:13:in load'

C:/Users/usa/ruby/test/rake/test_rake_rake_test_loader.rb:13:intest_pattern'

[398/1240] TestRakeReduceCompat#test_no_deprecated_dsl = 0.06 s
6) Failure:
test_no_deprecated_dsl(TestRakeReduceCompat) [C:/Users/usa/ruby/test/rake/test_rake_reduce_compat.rb:31]:
Expected: "\"method\""
Actual: ""

[399/1240] TestRakeReduceCompat#test_no_classic_namespace = 0.06 s
7) Failure:
test_no_classic_namespace(TestRakeReduceCompat) [C:/Users/usa/ruby/test/rake/test_rake_reduce_compat.rb:59]:
Expected: "present"
Actual: ""

[420/1240] TestRakeFunctional#test_correct_number_of_tasks_reported =
8) Failure:
test_correct_number_of_tasks_reported(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:412]:
Expected: 2
Actual: 0

[421/1240] TestRakeFunctional#test_dry_run = 0.06 s
9) Failure:
test_dry_run(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:233]:
Expected /Execute (dry run) default/ to match "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n".

[422/1240] TestRakeFunctional#test_file_task_are_not_scoped_by_namespa
10) Failure:
test_file_task_are_not_scoped_by_namespaces(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:364]:
Expected /^{XYZ1}nXYZ2\$/m to match "".

[424/1240] TestRakeFunctional#test_dot_rake_files_can_be_loaded_with_d
11) Failure:
test_dot_rake_files_can_be_loaded_with_dash_r(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:307]:
Expected "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n" to be empty.

[425/1240] TestRakeFunctional#test_can_invoke_task_in_nested_namespace
12) Failure:
test_can_invoke_task_in_nested_namespace(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:324]:
Expected /^{NEST} COPY\$/ to match "".

[426/1240] TestRakeFunctional#test_implicit_system = 0.12 s
13) Failure:
test_implicit_system(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:126]:
Expected /^{SYS1}/ to match "".

[428/1240] TestRakeFunctional#test_dash_f_with_no_arg_foils_rakefile_l
14) Failure:
test_dash_f_with_no_arg_foils_rakefile_lookup(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:299]:
Expected /^{TEST1}/ to match "".

[430/1240] TestRakeFunctional#test_rake_namespace_refers_to_toplevel =
15) Failure:
test_rake_namespace_refers_to_toplevel(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:356]:
Expected /^{COPY}\$/m to match "".

[432/1240] TestRakeFunctional#test_no_system = 0.05 s
16) Failure:
test_no_system(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:135]:
Expected /^{Don't} know how to build task/ to match "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n".

[435/1240] TestRakeFunctional#test_rake_default = 0.05 s
17) Failure:
test_rake_default(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:29]:
Expected /^{DEFAULT}\$/ to match "".

[436/1240] TestRakeFunctional#test_tasks_can_reference_task_in_same_na

18) Failure:

test_tasks_can_reference_task_in_same_namespace(TestRakeFunctional)

[C:/Users/usa/ruby/test/rake/test_rake_functional.rb:332]:

Expected `/NEST COPY$/m` to match "".

[437/1240] TestRakeFunctional#test_nosearch_without_rakefile_finds_sys

19) Failure:

test_nosearch_without_rakefile_finds_system(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:152]:

Expected `/SYSTEM` to match "".

[438/1240] TestRakeFunctional#test_multi_desc = 0.06 s

20) Failure:

test_multi_desc(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:62]:

Expected `/RAKE a *# A \ A2 *$/` to match "".

[439/1240] TestRakeFunctional#test_nosearch_without_rakefile_and_no_sy

21) Failure:

test_nosearch_without_rakefile_and_no_system_fails(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:161]:

Expected `/NO Rakefile found/` to match "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n".

[440/1240] TestRakeFunctional#test_rbext = 0.06 s

22) Failure:

test_rbext(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:92]:

Expected `/OKS` to match "".

[442/1240] TestRakeFunctional#test_inline_verbose_true_should_show_com

23) Failure:

test_inline_verbose_true_should_show_command(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:185]:

Expected `/C:\Users\usa\develop\win\ruby\build\ruby.exe -e/` to match "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n".

[443/1240] TestRakeFunctional#test_standalone_verbose_true_should_show

24) Failure:

test_standalone_verbose_true_should_show_command(TestRakeFunctional)

[C:/Users/usa/ruby/test/rake/test_rake_functional.rb:217]:

Expected `/C:\Users\usa\develop\win\ruby\build\ruby.exe -e/` to match "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n".

[446/1240] TestRakeFunctional#test_nosearch_with_rakefile_uses_local_r

25) Failure:

test_nosearch_with_rakefile_uses_local_rakefile(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:143]:

Expected `/DEFAULT` to match "".

[447/1240] TestRakeFunctional#test_by_default_rakelib_files_are_includ

26) Failure:

test_by_default_rakelib_files_are_included(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:117]:

Expected `/extra:extra/` to match "".

[448/1240] TestRakeFunctional#test_inline_verbose_default_should_show_

27) Failure:

test_inline_verbose_default_should_show_command(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:177]:

Expected `/C:\Users\usa\develop\win\ruby\build\ruby.exe -e/` to match "C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n".

[449/1240] TestRakeFunctional#test_comment_after_desc_is_ignored = 0.0

28) Failure:

test_comment_after_desc_is_ignored(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:396]:

Expected `/override\ comment\ for\ t3/` to match "".

[451/1240] TestRakeFunctional#test_file_task_dependencies_scoped_by_na

29) Failure:

test_file_task_dependencies_scoped_by_namespaces(TestRakeFunctional)

[C:/Users/usa/ruby/test/rake/test_rake_functional.rb:372]:

Expected `/PREPAREinSCOPEDEP$/m` to match "".

[452/1240] TestRakeFunctional#test_env_available_at_task_scope = 0.08

30) Failure:

test_env_available_at_task_scope(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:53]:
Expected `/TASKSCOPE$/` to match "".

[453/1240] TestRakeFunctional#test_anonymous_tasks_can_be_invoked_indi

31) Failure:

test_anonymous_tasks_can_be_invoked_indirectly(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:348]:
Expected `/^ANON COPY$/m` to match "".

[454/1240] TestRakeFunctional#test_rules_chaining_to_file_task = 0.06

32) Failure:

test_rules_chaining_to_file_task(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:280]:
'play.app' file should exist

[455/1240] TestRakeFunctional#test_block_verbose_true_should_show_comm

33) Failure:

test_block_verbose_true_should_show_command(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:209]:
Expected `C:\Users\usa\develop\win\ruby\build\ruby.exe -e/` to match `"C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n"`.

[456/1240] TestRakeFunctional#test_long_description = 0.06 s

34) Failure:

test_long_description(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:73]:
Expected `/^rake a\n *A \ A2 *$/m` to match "".

[457/1240] TestRakeFunctional#test_system = 0.06 s

35) Failure:

test_system(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:100]:
Expected `/^SYS1/` to match "".

[458/1240] TestRakeFunctional#test_invalid_command_line_options = 0.06

36) Failure:

test_invalid_command_line_options(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:169]:
Expected `/invalid +option/i` to match `"C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n"`.

[459/1240] TestRakeFunctional#test_imports = 0.06 s

37) Failure:

test_imports(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:270]:
'dynamic_deps' file should exist

[460/1240] TestRakeFunctional#test_tasks_can_reference_task_in_other_n

38) Failure:

test_tasks_can_reference_task_in_other_namespaces(TestRakeFunctional)
[C:/Users/usa/ruby/test/rake/test_rake_functional.rb:340]:
Expected `/^N A\nIN B$/m` to match "".

[464/1240] TestRakeFunctional#test_rake_error_on_bad_task = 0.05 s

39) Failure:

test_rake_error_on_bad_task(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:37]:
Expected `/rake aborted/` to match `"C:/Users/usa/develop/win/ruby/build/ruby.exe: No such file or directory -- C:/Users/usa/develop/win/ruby/build/bin/rake (LoadError)\n"`.

[465/1240] TestRakeFunctional#test_comment_before_desc_is_ignored = 0.

40) Failure:

test_comment_before_desc_is_ignored(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:404]:
Expected `/override\ comment\ for\ t4/` to match "".

[466/1240] TestRakeFunctional#test_env_available_at_top_scope = 0.05 s

41) Failure:

test_env_available_at_top_scope(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:45]:
Expected `/^TOPSCOPE$/` to match "".

[467/1240] TestRakeFunctional#test_can_invoke_task_in_toplevel_namespa

42) Failure:

test_can_invoke_task_in_toplevel_namespace(TestRakeFunctional) [C:/Users/usa/ruby/test/rake/test_rake_functional.rb:316]:
Expected `/^COPY$/` to match "".

=end

Related issues:

Related to Ruby trunk - Bug #7366: cannot 'make install' when --enable-doc

Closed

11/16/2012

History

#1 - 11/16/2012 10:45 AM - usa (Usaku NAKAMURA)

- Description updated

#2 - 11/16/2012 01:06 PM - drbrain (Eric Hodel)

=begin

How do I build ruby outside of ((\$srcdir))?

I get the following failure:

```
$ mkdir ~/tmp/build
$ cd ~/tmp/build
$ CC=clang ~/Work/svn/ruby/trunk/configure --with-openssl-dir=/usr/local/Cellar/openssl/1.0.1c/
[...]
$ make
CC = clang
LD = ld
LDSHARED = clang -dynamic -bundle
CFLAGS = -O3 -ggdb -Wall -Wextra -Wno-unused-parameter -Wno-parentheses -Wno-long-long -Wno-missing-field-initializers -Wunused-variable
-Werror=pointer-arith -Werror=write-strings -Werror=declaration-after-statement -Werror=shorten-64-to-32 -Werror=implicit-function-declaration -pipe
XCFLAGS = -include ruby/config.h -include ruby/missing.h -D_FORTIFY_SOURCE=2 -fstack-protector -fno-strict-overflow -fvisibility=hidden
-DRUBY_EXPORT -fPIE
CPPFLAGS = -D_XOPEN_SOURCE -D_DARWIN_C_SOURCE -D_DARWIN_UNLIMITED_SELECT -D_REENTRANT -I.
-I.ext/include/x86_64-darwin12.2.0 -I/Users/drbrain/Work/svn/ruby/trunk/include -I/Users/drbrain/Work/svn/ruby/trunk
DLDFLAGS = -Wl,-undefined,dynamic_lookup -Wl,-multiply_defined,suppress -fstack-protector -Wl,-u,_objc_msgSend -Wl,-pie
```

SOLIBS =

```
compiling /Users/drbrain/Work/svn/ruby/trunk/main.c
compiling /Users/drbrain/Work/svn/ruby/trunk/dmydln.c
compiling /Users/drbrain/Work/svn/ruby/trunk/dmyencoding.c
compiling /Users/drbrain/Work/svn/ruby/trunk/version.c
compiling /Users/drbrain/Work/svn/ruby/trunk/dmyversion.c
compiling /Users/drbrain/Work/svn/ruby/trunk/miniprelude.c
compiling /Users/drbrain/Work/svn/ruby/trunk/array.c
compiling /Users/drbrain/Work/svn/ruby/trunk/bignum.c
compiling /Users/drbrain/Work/svn/ruby/trunk/class.c
compiling /Users/drbrain/Work/svn/ruby/trunk/compar.c
compiling /Users/drbrain/Work/svn/ruby/trunk/complex.c
compiling /Users/drbrain/Work/svn/ruby/trunk/dir.c
compiling /Users/drbrain/Work/svn/ruby/trunk/dln_find.c
compiling /Users/drbrain/Work/svn/ruby/trunk/enum.c
compiling /Users/drbrain/Work/svn/ruby/trunk/enumerator.c
compiling /Users/drbrain/Work/svn/ruby/trunk/error.c
compiling /Users/drbrain/Work/svn/ruby/trunk/eval.c
compiling /Users/drbrain/Work/svn/ruby/trunk/load.c
compiling /Users/drbrain/Work/svn/ruby/trunk/proc.c
compiling /Users/drbrain/Work/svn/ruby/trunk/file.c
compiling /Users/drbrain/Work/svn/ruby/trunk/gc.c
compiling /Users/drbrain/Work/svn/ruby/trunk/hash.c
compiling /Users/drbrain/Work/svn/ruby/trunk/inits.c
compiling /Users/drbrain/Work/svn/ruby/trunk/io.c
compiling /Users/drbrain/Work/svn/ruby/trunk/marshal.c
compiling /Users/drbrain/Work/svn/ruby/trunk/math.c
compiling /Users/drbrain/Work/svn/ruby/trunk/node.c
compiling /Users/drbrain/Work/svn/ruby/trunk/numeric.c
compiling /Users/drbrain/Work/svn/ruby/trunk/object.c
compiling /Users/drbrain/Work/svn/ruby/trunk/pack.c
compiling /Users/drbrain/Work/svn/ruby/trunk/parse.c
compiling /Users/drbrain/Work/svn/ruby/trunk/process.c
compiling /Users/drbrain/Work/svn/ruby/trunk/random.c
compiling /Users/drbrain/Work/svn/ruby/trunk/range.c
compiling /Users/drbrain/Work/svn/ruby/trunk/rational.c
compiling /Users/drbrain/Work/svn/ruby/trunk/re.c
compiling /Users/drbrain/Work/svn/ruby/trunk/regcomp.c
compiling /Users/drbrain/Work/svn/ruby/trunk/regenc.c
compiling /Users/drbrain/Work/svn/ruby/trunk/regerror.c
compiling /Users/drbrain/Work/svn/ruby/trunk/regexec.c
```

```

compiling /Users/drbrain/Work/svn/ruby/trunk/regparse.c
compiling /Users/drbrain/Work/svn/ruby/trunk/regsyntax.c
compiling /Users/drbrain/Work/svn/ruby/trunk/ruby.c
compiling /Users/drbrain/Work/svn/ruby/trunk/safe.c
compiling /Users/drbrain/Work/svn/ruby/trunk/signal.c
compiling /Users/drbrain/Work/svn/ruby/trunk/sprintf.c
compiling /Users/drbrain/Work/svn/ruby/trunk/st.c
compiling /Users/drbrain/Work/svn/ruby/trunk/strftime.c
compiling /Users/drbrain/Work/svn/ruby/trunk/string.c
compiling /Users/drbrain/Work/svn/ruby/trunk/struct.c
compiling /Users/drbrain/Work/svn/ruby/trunk/time.c
compiling /Users/drbrain/Work/svn/ruby/trunk/transcode.c
compiling /Users/drbrain/Work/svn/ruby/trunk/util.c
compiling /Users/drbrain/Work/svn/ruby/trunk/variable.c
compiling /Users/drbrain/Work/svn/ruby/trunk/compile.c
compiling /Users/drbrain/Work/svn/ruby/trunk/debug.c
compiling /Users/drbrain/Work/svn/ruby/trunk/iseq.c
compiling /Users/drbrain/Work/svn/ruby/trunk/vm.c
compiling /Users/drbrain/Work/svn/ruby/trunk/vm_dump.c
compiling /Users/drbrain/Work/svn/ruby/trunk/vm_backtrace.c
compiling /Users/drbrain/Work/svn/ruby/trunk/vm_trace.c
compiling /Users/drbrain/Work/svn/ruby/trunk/thread.c
compiling /Users/drbrain/Work/svn/ruby/trunk/cont.c
compiling /Users/drbrain/Work/svn/ruby/trunk/enc/ascii.c
compiling /Users/drbrain/Work/svn/ruby/trunk/enc/us_ascii.c
compiling /Users/drbrain/Work/svn/ruby/trunk/enc/unicode.c
compiling /Users/drbrain/Work/svn/ruby/trunk/enc/utf_8.c
compiling /Users/drbrain/Work/svn/ruby/trunk/newline.c
compiling /Users/drbrain/Work/svn/ruby/trunk/missing/setproctitle.c
linking miniruby
clang: error: no such file or directory: 'dmyext.o'
make: *** [miniruby] Error 1
$

```

Editing uncommon.mk to have (({V = 1})) shows a link command of:

```

clang -O3 -ggdb -Wall -Wextra -Wno-unused-parameter -Wno-parentheses \
-Wno-long-long -Wno-missing-field-initializers -Wunused-variable \
-Werror=pointer-arith -Werror=write-strings -Werror=declaration-after-statement \
-Werror=shorten-64-to-32 -Werror=implicit-function-declaration -pipe -L. \
-fstack-protector -L/usr/local/lib -fstack-protector -Wl,-u,_objc_msgSend -Wl,-pie \
main.o dmydln.o dmyencoding.o dmyversion.o miniprelude.o array.o bignum.o class.o \
compar.o complex.o dir.o dln_find.o enum.o enumerator.o error.o eval.o load.o proc.o \
file.o gc.o hash.o inits.o io.o marshal.o math.o node.o numeric.o object.o pack.o \
parse.o process.o random.o range.o rational.o re.o regcomp.o regenc.o regerror.o \
regexec.o regparse.o regsyntax.o ruby.o safe.o signal.o sprintf.o st.o strftime.o string.o \
struct.o time.o transcode.o util.o variable.o compile.o debug.o iseq.o vm.o vm_dump.o \
vm_backtrace.o vm_trace.o thread.o cont.o ascii.o us_ascii.o unicode.o utf_8.o newline.o \
setproctitle.o dmyext.o -lpthread -ldl -lobjc -o miniruby

```

but dmyext.o was not built.

=end

#3 - 11/16/2012 02:11 PM - naruse (Yui NARUSE)

This is fixed on [r37670](#) as a workaround.

Anyway your log looks strange because my OS X Mountain Lion environment works well.

#4 - 12/06/2012 01:42 PM - drbrain (Eric Hodel)

- Status changed from Assigned to Closed

Fixed now. Thank you naruse.

PS: I figured out my build problem. You cannot use the same checkout for building inside and outside \$(srcdir)