

Backport193 - Backport #7896

Can't test rb_iter_break with extensions

02/21/2013 12:05 PM - naruse (Yui NARUSE)

Status:	Closed
Priority:	Normal
Assignee:	
Description	
<p>If you test rb_iter_break() with some extension library like trunk's ext/-test-/iter/break.c, it will cause SEGV on 1.9.3. It won't happen on 2.0 because r34369 is accidentally fix it with below patch.</p> <p>I noticed this because RubySpec added a test for rb_spec_iter (4db31b04954118e66ac1d6353ebf4106cb2b419b) and hit this.</p> <pre>% svn di</pre> <h3>Index: vm.c</h3> <pre>--- vm.c (revision 39346) +++ vm.c (working copy) @@ -1370,6 +1370,7 @@ *th->cfp->sp++ = (GET_THROWOBJ_VAL(err)); #endif } • th->state = 0; th->errinfo = Qnil; goto vm_loop_start; }</pre>	

Associated revisions

Revision e525bcd1 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/trunk@39359 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 39359 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

Revision 39359 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

Revision 39359 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

Revision 39359 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

Revision 39359 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

Revision 39359 - 02/21/2013 08:31 AM - naruse (Yui NARUSE)

Add test for [Backport #7896] [ruby-core:52607]

Revision 857a2cee - 02/22/2013 05:50 AM - usa (Usaku NAKAMURA)

- vm.c (vm_exec): get rid of a SEGV when calling rb_iter_break() from some extension libraries. [Backport #7896] [ruby-core:52607]

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_1_9_3@39381 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 39381 - 02/22/2013 05:50 AM - usa (Usaku NAKAMURA)

- `vm.c (vm_exec)`: get rid of a SEGV when calling `rb_iter_break()` from some extension libraries. [Backport #7896] [ruby-core:52607]

Revision e2e5d3fd - 03/09/2013 12:39 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 39359:

```
Add test for [Backport #7896] [ruby-core:52607]
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_0_0@39655 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

History

#1 - 02/22/2013 02:50 PM - usa (Usaku NAKAMURA)

- *Status changed from Open to Closed*
- *% Done changed from 0 to 100*

This issue was solved with changeset [r39381](#).

Yui, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

- `vm.c (vm_exec)`: get rid of a SEGV when calling `rb_iter_break()` from some extension libraries. [Backport [#7896](#)] [ruby-core:52607]