

Backport200 - Backport #8193

Backport r39967

04/01/2013 09:24 AM - hsbt (Hiroshi SHIBATA)

Status:	Closed	
Priority:	Normal	
Assignee:	nagachika (Tomoyuki Chikanaga)	
Description		
copied issue from #8180 created by hasari.		
Related issues:		
Related to Ruby master - Bug #8173: 2-arg form of Time.at can take a Time as ...	Closed	03/27/2013
Related to Ruby master - Bug #8180: Backport r39967 to 1.9.3 and 2.0.x	Closed	03/28/2013

Associated revisions

Revision 108d1632 - 04/14/2013 03:45 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 39967: [Backport #8193]

```
* time.c (num_exact): use to_r method only if to_int method is
available.
[ruby-core:53764] [Bug #8173] reported by Hiro Asari.
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_0_0@40298 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 40298 - 04/14/2013 03:45 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) 39967: [Backport #8193]

```
* time.c (num_exact): use to_r method only if to_int method is
available.
[ruby-core:53764] [Bug #8173] reported by Hiro Asari.
```

History

#1 - 04/11/2013 04:35 PM - nagachika (Tomoyuki Chikanaga)

- Status changed from Open to Assigned

#2 - 04/15/2013 12:45 AM - nagachika (Tomoyuki Chikanaga)

- Status changed from Assigned to Closed

- % Done changed from 0 to 100

This issue was solved with changeset [r40298](#).

Hiroshi, thank you for reporting this issue.

Your contribution to Ruby is greatly appreciated.

May Ruby be with you.

merge revision(s) 39967: [Backport [#8193](#)]

```
* time.c (num_exact): use to_r method only if to_int method is
available.
[ruby-core:53764] [Bug #8173] reported by Hiro Asari.
```