

Ruby master - Bug #9651

__dir__ returns nil in instance_eval/module_eval

03/18/2014 02:46 PM - nagachika (Tomoyuki Chikanaga)

Status:	Closed	
Priority:	Normal	
Assignee:	sorah (Sorah Fukumori)	
Target version:	2.2.0	
ruby -v:	2.1.1	Backport: 2.0.0: DONE, 2.1: DONE
Description instance_eval/module_eval の __dir__ が nil を返す eval [r42103] の instance_eval/module_eval が nil を返す trunk [r45360] [r45361] Backport []		

Associated revisions

Revision 3041f215 - 03/30/2014 03:06 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r42230,r42231: [Backport #9651]

```
parse.y, vm_eval.c: file encoding in eval
```

```
* parse.y (yycompile): store file name as String to keep the encoding.
```

```
* parse.y (rb_parser_compile_string_path, rb_parser_compile_file_path):
```

new functions to pass file name as a String.

```
* parse.y (gettable_gen): return a copy of the original file name, not
```

a copy in filesystem encoding.

```
* vm_eval.c (eval_string_with_cref): use Qundef instead of "(eval)".
```

```
* parse.y (yycompile): store file name as String to keep the encoding.
```

```
* parse.y (rb_parser_compile_string_path, rb_parser_compile_file_path):  
new functions to pass file name as a String.
```

```
* parse.y (gettable_gen): return a copy of the original file name, not  
a copy in filesystem encoding.
```

```
* vm_eval.c (eval_string_with_cref): use Qundef instead of "(eval)".
```

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_0_0@45473 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 45473 - 03/30/2014 03:06 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r42230,r42231: [Backport #9651]

```
parse.y, vm_eval.c: file encoding in eval
```

```
* parse.y (yycompile): store file name as String to keep the encoding.
```

```
* parse.y (rb_parser_compile_string_path, rb_parser_compile_file_path):
```

new functions to pass file name as a String.

```
* parse.y (gettable_gen): return a copy of the original file name, not
```

a copy in filesystem encoding.

```
* vm_eval.c (eval_string_with_cref): use Qundef instead of "(eval)".
```

```
* parse.y (yycompile): store file name as String to keep the encoding.
```

```
* parse.y (rb_parser_compile_string_path, rb_parser_compile_file_path):  
new functions to pass file name as a String.
```

* parse.y (gettable_gen): return a copy of the original file name, not a copy in filesystem encoding.

* vm_eval.c (eval_string_with_cref): use Qundef instead of "(eval)".

Revision d0be5c2d - 03/30/2014 03:43 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r45360,r45361: [Backport #9651]

* vm_eval.c (eval_string_with_cref): Use file path even if scope is given. Related to [ruby-core:56099] [Bug #8662] and r42103.

* vm_eval.c (eval_string_with_cref): Unify to use NIL_P.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_0_0@45474 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 45474 - 03/30/2014 03:43 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r45360,r45361: [Backport #9651]

* vm_eval.c (eval_string_with_cref): Use file path even if scope is given. Related to [ruby-core:56099] [Bug #8662] and r42103.

* vm_eval.c (eval_string_with_cref): Unify to use NIL_P.

Revision 3cbfd634 - 05/12/2014 01:18 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r45360,r45361: [Backport #9651]

* vm_eval.c (eval_string_with_cref): Use file path even if scope is given. Related to [ruby-core:56099] [Bug #8662] and r42103.

* vm_eval.c (eval_string_with_cref): Unify to use NIL_P.

git-svn-id: svn+ssh://ci.ruby-lang.org/ruby/branches/ruby_2_1@45927 b2dd03c8-39d4-4d8f-98ff-823fe69b080e

Revision 45927 - 05/12/2014 01:18 PM - nagachika (Tomoyuki Chikanaga)

merge revision(s) r45360,r45361: [Backport #9651]

* vm_eval.c (eval_string_with_cref): Use file path even if scope is given. Related to [ruby-core:56099] [Bug #8662] and r42103.

* vm_eval.c (eval_string_with_cref): Unify to use NIL_P.

History

#1 - 03/19/2014 03:47 PM - sorah (Sorah Fukumori)

- Description updated

#2 - 03/30/2014 03:46 PM - nagachika (Tomoyuki Chikanaga)

- Backport changed from 2.0.0: *REQUIRED*, 2.1: *REQUIRED* to 2.0.0: *DONE*, 2.1: *REQUIRED*

r42230 and r42231 were backported to ruby_2_0_0 at r45473. These changesets were required for resolv conflict. And r45360 and r45361 were backported to ruby_2_0_0 at r45474.

#3 - 05/12/2014 01:19 PM - nagachika (Tomoyuki Chikanaga)

- Backport changed from 2.0.0: *DONE*, 2.1: *REQUIRED* to 2.0.0: *DONE*, 2.1: *DONE*

r45360 and r45361 were backported to ruby_2_1 branch at r45927.